



Georgian Bay Reinforcement Fabrics

WOVEN TAPE PRODUCT SPECIFICATION

Issued: December 2013
Revised: April 2014

Product:	T1875-A00		
	<u>Metric</u>	<u>SAE</u>	
Style:	T1875	T1875	
Finish: (Silane Direct Size Yarn)	A00/01	A00/01	
Weave:	Plain	Plain	
Construction	Warp: 64 /10cm (+/- 4) Weft: 55 /10cm (+/- 4)	16 /inch (+/- 1) 14 /inch (+/- 1)	ASTM D-3775
Yarn	Warp: EC13 275 Weft: 2 x ECG 136	ECK 18 2 x ECG 37	
Weight	330 g/m ² (+/-5%)	9.8 oz/yd ² (+/- 5%)	ASTM D-3776
Thickness:	0.30 mm (+/-0.05)	0.012 inches (0.002)	ASTM D-1777
Available Widths:	51 mm to 305 mm	2 inch to 12 inch	

All values above are nominal and are to be used as guidelines.

Although all statements are believed to be accurate and reliable, they are presented without guarantee or responsibility on our part.