



Woven Tape Product Specification

Issued: June 2002

Revised: January 2023

Product: T1887 – A00 Mock Leno

Metric SAE

Style: T1887-A00 Mock Leno T1887-A00 Mock Leno

Finish: A00 A00

Silane Direct Size Yarn

Weave: Mock Leno Mock Leno

Construction Warp: 158/10cm (+/- 1) 40/inch (+/- 0.3) ASTM D-3775

Weft: 83/10cm (+/- 1) 21/inch (+/- 0.3)

Yarn Warp: 275 tex roving 1800 yield

Weft: 2 x 136 tex 2 x G37 1/0

Weight 550 g/m² (+/-5%) 16.3 oz/yd² (+/-5%) ASTM D-3776

Thickness: 0.7 mm (+/-0.03) .028 inches (+/-0.002) ASTM D-1777

Available Widths: 102 or 152 mm 4 or 6 inch

All values above are nominal and are to be used as guidelines. Although all statements are believed to be accurate and reliable, they are presented without guarantee or responsibility on our part.

Georgian Bay Reinforcement Fabrics